

Joint Health and Wellbeing Board Performance Scorecard: 2nd Quarter 2016/17

Key - Direction of Travel: **Improved** **Deteriorated** **Within 2%**

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
Strategic Objective 1: Children and young people make healthy choices and have the best start in life											
57.6% (2014/15)	54.4% (2015/16)	Breastfeeding initiation	57.4% (Jul-Sep16)		Tracker	↑	54.9% (Jul-Sep15)	Q4 (Oct-Dec16)	74.3% (2014/15)	60.1% (2014/15)	Not available
28.9% (2014/15)	28.1% (2015/16)	Prevalence of breastfeeding at 6-8 weeks from birth	26.1% (Jul-Sep 16)		Tracker	↓	29.6% (Jul-Sep15)	Q4 (Oct-Dec16)	43.5% (2015/16)	31.3% (2015/16)	Not available
23.8% (2013/14)	23% (2014/15)	Percentage of children aged 4-5 classified as overweight or obese	24.3% (2015/16)		Tracker	↑	23% (2014/15)	Q3 2017/18 (2016/17)	22.1% (2015/16)	24.6% (2015/16)	23.1% (2014/15)
35.9% (2012/13)	36.6% (2014/15)	Percentage of children aged 10-11 classified as overweight or obese	37.2% (2015/16)		Tracker	↑	36.6% (2014/15)	Q3 2017/18 (2016/17)	34.2% (2015/16)	37% (2015/16)	34.4% (2014/15)
73.5% (2014/15)	77.3% (2015/16)	Number of young people referred to CAMHS who are seen within 9 weeks	83.1% (Apr-Sep16)		Tracker	↑	81.7% (Apr-Sep15)	Q3 (Jul-Sep16)	Not available	Not available	Not available
81.5 (10/11-12/13)	69.9 (11/12-13/14)	Alcohol specific hospital admissions for under 18's (rate per 100,000)	65.5 (12/13-14/15)		Tracker	↓	69.9 (11/12-13/14)	Q1 17/18 (13/14-15/16)	36.6 (2012/13-2014/15)	60.4 (2012/13-2014/15)	Not available
69% (2014/15)	86% (2015/16)	Percentage of exits from young person's substance misuse treatment that are planned discharges	87% (Apr-Jun16)		80%	↑	77% (Apr-Jun15)	Q3 (Jul-Sep16)	83% (Apr-Jun 16)	Not available	Not available
8.9 (2012)	7.9 (2013)	Under 16 conception rate	5.8 (2014)		Tracker	↓	7.9 (2013)	Q4 (2015)	4.4 (2014)	6.5 (2014)	6.7 (2014)
33.8 (2013)	28.5 (2014)	Under 18 conception rate	26.4 (Jul14-Jun15)		Tracker	↓	29 (Jul13-Jun14)	Q3 (Oct14-Sep15)	21.8 (Jul14-Jun15)	28.6 (Jul14-Jun15)	31.2 (2014)
19.0% (2014/15)	18.1% (2015/16)	Percentage of mothers smoking at time of delivery	16.6% (Apr-Jun16)		17.2%	↓	18.1% (Apr-Jun15)	Q3 (Jul-Sep16)	10.2% (Apr-Jun 16)	15.6% (Apr-Jun 16)	Not available
4.1 (2010-12)	3.3 (2011-13)	Infant mortality rate	3.4 (2012-14)		Tracker	↑	3.3 (2011-13)	Q3 (2013-15)	4.0 (2012-14)	3.6 (2012-14)	3.7 (2012-14)
15.1 (2013/14)	15.8 (2014/15)	Emotional and behavioural health of Looked After Children [lower score is better]	14.9 [Prov] (2015/16)		Tracker	↓	15.8 (2014/15)	Q4 (2016/17)	13.9 (2014/15)	14 (2014/15)	13.8 (2014/15)
410.5 (2012/13)	523.5 (2013/14)	Young people aged 10-24 admitted to hospital as a result of self-harm	440.3 (2014/15)		Tracker	↓	523.5 (2013/14)	Mar-17	398.8	477.7	Not available
Not available	Not available	Proportion of five year old children free from dental decay	64.9% (2014/15)		Tracker	N/A	Not available	TBC	75.2% (2014/15)	72% (2014/15)	Not available
Not available	Not available	Percentage of Community Eating Disorder Service cases receiving NICE compliant treatment in line with the new access and waiting time standards	Baseline to be established in 2016/17 & targets developed for 2017/18		Tracker	N/A	Not available	2017/18	Not available	Not available	Not available
Not available	Not available	Emergency admission rate for children with asthma per 100,000 population aged 0-18 (QPI) - ND	66.84 (Apr-Aug16)	95	228.0	N/A	Not available	Monthly	Not available	Not available	Not available
Not available	Not available	Emergency admission rate for children with asthma per 100,000 population aged 0-18 - (QPI) DDES	91.10 (Apr-Aug16)	93.1	233.4	N/A	Not available	Monthly	Not available	Not available	Not available
Strategic Objective 2: Reduce health inequalities and early deaths											
394.18 (2012)	407.1 (2013)	All cause mortality for persons aged under 75 years per 100,000 population	407.1 (2014)		Tracker	↔	407.1 (2013)	Q3 (2015)	332.93 (2014)	409.44 (2014)	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
91.3 (2010-12)	88.8 (2011-13)	Mortality from all cardiovascular diseases (including heart disease and stroke) for persons aged under 75 years per 100,000 population	81.7 (2012-14)		Tracker	↓	88.8 (2011-13)	Q3 (2013-15)	75.7 (2012-14)	85.9 (2012-14)	Not available
164.2 (2010-12)	166.6 (2011-13)	Mortality from cancer for persons aged under 75 years per 100,000 population	168.6 (2012-14)		Tracker	↑	166.6 (2011-13)	Q3 (2013-15)	141.5 (2012-14)	167.9 (2012-14)	Not available
7.4% (2014/15)	7% (2015/16)	Percentage of the eligible population who receive an NHS Health Check	1.9% (Apr-Jun16)	2%	8%	↔	1.9% (Apr-Jun15)	Q3 (Jul-Sep 16)	2% (Apr-Jun16)	1.8% (Apr-Jun16)	Not available
21.7 (2010-12)	21.9 (2011-13)	Mortality from liver disease for persons aged under 75 years per 100,000 population	20.1 (2012-14)		Tracker	↓	21.9 (2011-13)	Q4 (2013-15)	17.8 (2012-14)	23 (2012-14)	Not available
40.1 (2010-12)	43.4 (2011-13)	Mortality from respiratory disease for persons aged under 75 years per 100,000 population	41.8 (2012-14)		Tracker	↓	43.4 (2011-13)	Q4 (2013-15)	32.6 (2012-14)	41.2 (2012-14)	Not available
98.1% (Oct-Dec15)	98.5% (Jan-Mar16)	Percentage of patients receiving first definitive treatment for cancer within 31 days from diagnosis (decision to treat date) - DDES CCG	97.5% (Apr-Jun16)		96%	↓	98.4% (Apr-Jun15)	Q3 (Jul-Sep 16)	97.5% (Apr-Jun16)	Not available	Not available
99.1% (Oct-Dec15)	99.4% (Jan-Mar16)	Percentage of patients receiving first definitive treatment for cancer within 31 days from diagnosis (decision to treat date) - North Durham CCG	99.4% (Apr-Jun16)		96%	↑	98.5% (Apr-Jun15)	Q3 (Jul-Sep 16)	97.5% (Apr-Jun16)	Not available	Not available
81.2% (2014/15)	81.3% (2015/16)	Percentage of patients receiving first definitive treatment for cancer within 62 days of an urgent GP referral for suspected cancer - DDES CCG	81.5% (Apr-Jun16)		85%	↓	82.9% (Apr-Jun16)	Q3 (Jul-Sep16)	82.2% (Apr-Jun16)	Not available	Not available
85.5% (2014/15)	83.9% (2015/16)	Percentage of patients receiving first definitive treatment for cancer within 62 days of an urgent GP referral for suspected cancer - North Durham CCG	83.7% (Apr-Jun16)		85%	↑	79.9% (Apr-Jun16)	Q3 (Jul-Sep16)	82.2% (Apr-Jun16)	Not available	Not available
Not available	49.5% (2014)	Cancer diagnosed at early stage (QPI) - ND	2015/16 baseline data released Mar-17		4 percentage point improvement or achieve >60% in 2016	N/A	Not available	Q4 (2015/16)	Not available	Not available	Not available
Not available	49.6% (2014)	Cancer diagnosed at early stage (QPI) - DDES	2015/16 baseline data released Mar-17		4 percentage point improvement or achieve >60% in 2016	N/A	Not available	Q4 (2015/16)	Not available	Not available	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
77.9 (2010-12)	78 (2011-13)	Male life expectancy at birth (years)	78.1 (2012-14)		Tracker	↑	78 (2011-13)	Q3 (2013-15)	79.5 (2012-14)	78 (2012-14)	Not available
81.5 (2010-12)	81.3 (2011-13)	Female life expectancy at birth (years)	81.4 (2012-14)		Tracker	↑	81.3 (2011-13)	Q3 (2013-15)	83.2 (2012-14)	81.7 (2012-14)	Not available
6.8% (2014)	5.2% (2015)	Successful completions as a percentage of total number in drug treatment - Opiates	5.2% (Mar15-Feb16 - Representations to Aug16)		8.16% - 16.80%	↓	6.8% (Aug15)	Q3 (Apr 15-Mar16)	6.7% (Mar15-Feb16 - Representations to Aug16)	Not available	Top Quartile: 8.16% - 16.80%
39.9% (2014)	25.4% (2015)	Successful completions as a percentage of total number in drug treatment - Non Opiates	22.5% (Mar15-Feb16 - Representations to Aug16)		40.87% - 56.51%	↓	40.9% (Aug15)	Q3 (Apr 15-Mar16)	36.8% (Mar15-Feb16 - Representations to Aug16)	Not available	Top Quartile: 40.87% - 56.51%
787.7 (2013/14)	747.3 (2014/15)	Alcohol related admissions to hospital per 100,000	738.4 [Prov] (2015/16)		Tracker	↓	747.3 (2014/15)	Q3 (Apr-Jun16)	651.3 [Prov] (2015/16)	837.6 [Prov] (2015/16)	Not available
23.9% (2015/16)	27.3% (Jul15-Jun16)	Successful completions as a percentage of total number in treatment – Alcohol	27.2% (Sep15-Aug16)		39.3%	↓	28.7% (Sep15-Aug16)	Q3 (Oct15-Sep 16)	39.3% (Sep15-Aug16)	Not available	Not available
3,250.9 [3,068] (2014/15)	3076.1 [2903] (2015/16)	Four week smoking quitters per 100,000 18+ smoking population [Number of quitters]	682.4 [644 quitters] (Apr-Jun16)	588 [555 quitters]	2449 [2311 quitters]	↓	712 [672] (Apr-Jun15)	Q3 (Jul-Sep 16)	Not available	Not available	Not available
22.1 (2013)	20.3 (2014)	Estimated smoking prevalence of persons aged 18 and over	19% (2015)		Tracker	↓	20.3 (2014)	Q2 2017/18 (2016)	16.9% (2015)	18.7% (2015)	Not available
51.4% (2013)	55.5% (2014)	Proportion of physically active adults	57.3% (2015)		Tracker	↑	55.5% (2014)	Q2 2017/18 (2016)	57% (2015)	52.9% (2015)	Not available
72.5 (2012)	69% (2012/14)	Excess weight in adults (Proportion of adults classified as overweight or obese)	67.6% (2013-15)		Tracker	↓	Not available	Q2 2017/18	64.8% (2013-15)	68.6% (2013-15)	Not available
78.6% (2013)	77.9% (2014)	The percentage of women in a population eligible for breast screening at a given point in time who were screened adequately within a specified period	77.8% (2015)		70%	↓	77.9% (2014)	Data release TBC	75.4% (2015)	77.1% (2015)	Not available
77.7% (2013)	78% (2014)	The percentage of women in a population eligible for cervical screening at a given point in time who were screened adequately within a specified period	77.6% (2015)		80%	↓	78% (2014)	Data release TBC	73.5% (2015)	75.7% (2015)	Not available
N/A	N/A	The percentage of people eligible for bowel screening who were screened adequately within the previous 2½ years	61.2% (2015)		60%	N/A	Not available	Data release TBC	57.1% (As at 31-Mar-15)	59.4% (As at 31-Mar-15)	Not available
16.8% (2009/12)	19% (2010/13)	Excess winter deaths	16.8% (2011/14)		Tracker	↓	19% (2010/13)	Q4 (2012/15)	15.6% (2011/14)	13.4% (2011/14)	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
Not available	Not available	Percentage of people with learning disabilities that have a health check - DDES	46.7% (2013/14)		Tracker	N/A	Not available	Data release unknown	44.2% (2013/14)	56.6% (2013/14)	Not available
Not available	Not available	Percentage of people with learning disabilities that have a health check - ND	60.3% (2013/14)		Tracker	N/A	Not available	Data release unknown	44.2% (2013/14)	56.6% (2013/14)	Not available
6.77% [estimated] (2012/13)	6.9% (2013/14)	Prevalence of diabetes (recorded diabetes in the population registered with GP practices aged 17 and over)	7% (2014/15)		Tracker	↑	6.9% (2013/14)	TBC	6.4% (2014/15)	6.7% (2014/15)	Not available
Strategic Objective 3: Improve the quality of life, independence and care and support for people with long term conditions											
8.7 (2012/13)	Not reported 2013/14	Carer reported quality of life	8.7 (2014-15)		Tracker	↔	8.7 (2012/13)	Q4 (2016/17)	7.9 (2014/15)	8.5 (2014/15)	8.3 (2014/15)
47.9% (2012/13 National Survey)	Not available	Overall satisfaction of carers with support and services they receive (Extremely/Very Satisfied) (BCF)	54.4% (2014-15)		48-53%	↑	47.9% (2012/13)	Q4 (2016/17)	41.2% (2014/15 National Survey)	49.3% (2014/15 National Survey)	45.7% (2014/15 National Survey)
92.6% (2014/15)	91.8% (2015/16)	The percentage of service users reporting that the help and support they receive has made their quality of life better	88.2% (Apr-Aug16)		Tracker	↓	91.9% (Apr-Aug15)	Q3 (Apr-Nov 16)	Not reported	Not reported	Not reported
89.8% (At 31-Mar-15)	92.6% (2015/16)	Proportion of people using social care who receive self-directed support	93.5% (At 30 Sep 16)		90.0%	↑	91% (At 30 Sep 15)	Q4 (At 31 Mar-17)	83.7% (2014/15)	91.9% (2014/15)	82.9% (2014/15)
820.9 per 100,000 (2014/15)	736.3 per 100,000 (2015/16)	Adults aged 65+ per 100,000 population admitted on a permanent basis in the year to residential or nursing care (BCF)	367.8 [Prov] (Apr-Sep 16)	362.2 (Apr-Sep 16)	750.8 per 100,000 (2016/17)	↑	356.2 (Apr-Sep15)	Q3 (Apr-Dec16)	628.2 (2015/16 - ASCOF)	843.0 (2015/16 - ASCOF)	Not available
90.3% (2014/15)	85.7% (2015/16)	Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/ rehabilitation services (BCF)	86% (Jan-Jun 16)		86%	↓	88% (Jan-Jun 15)	Q3 (Jan-Sep 16)	82.7% (2015/16 - ASCOF)	85.5% (2015/16 - ASCOF)	Not available
11.2 (2009/10)	12.1 (2010/11)	Emergency readmissions within 30 days of discharge from hospital	12.4 (2011/12)		Tracker	↑	12.1 (2010/11)	Data release date TBC	11.8 (2011/12)	12.7 (2011/12)	Not available
10.5 (2013/14)	7.7 (2014/15)	Delayed transfers of care from hospital per 100,000 population (ASCOF)	3.8 (Apr-Aug16)		Tracker	↓	4.9 (Apr-Aug15)	Q4 (Apr-Nov16)	12.1 (2015/16)	5.6 (2015/16)	Not available
363 (Oct-Dec15)	429 (Jan-Mar16)	Delayed transfers of care from hospital per 100,000 population (BCF)	572.1 (Apr-Aug16)		Quarterly targets only	↓	742.4 (Apr-Aug15)	Q4 (Apr-Dec16)	Not available	Not available	Not available
Not available	Not available	Delayed transfers of care from hospital per 100,000 population aged 18+ - DDES (QPI)	547.01 (Apr-Aug16)	632.6	Below 1518.27	N/A	Not available	Monthly	Not available	Not available	Not available
Not available	Not available	Delayed transfers of care from hospital per 100,000 population aged 18+ - ND (QPI)	545.89 (Apr-Aug16)	631.2	Below 1514.98	N/A	Not available	Monthly	Not available	Not available	Not available
2,085 (2012/13)	2171 (2013/14)	Falls and injuries in the over 65s. (Age-sex standardised rate of emergency hospital admissions for falls or falls injuries in persons aged 65 and over per 100,000 population)	2071 (2014/15)		Tracker	↓	2,171 (2013/14)	Data release date TBC	2,125 (2014/15)	2,167 (2014/15)	Not reported
636.0 (2012/13)	677 (2013/14)	Hip fractures in over 65s. (Age-sex standardised rate of emergency admissions for fractured neck of femur in persons aged 65 and over per 100,000 population)	574 (2014/15)		Tracker	↓	677 (2013/14)	Q1 2017/18 (2015/16)	571 (2014/15)	618 (2014/15)	Not reported
67.3% (Jul13-Mar14)	71.1% (Jul14-Mar15)	Proportion of people feeling supported to manage their condition	65.1% (Jul15-Mar16)		Tracker	↓	71.1% (2014/15)	Q2 2017/18 (2016/17)	64.3% (Jul15-Mar16)	68.3% (Jul15-Mar16)	Not available
3039 (Oct-Dec15)	2984 (Jan-Mar16)	Avoidable emergency admissions per 100,000 population (BCF)	2993 (Apr-Jun16)	2956 (Apr-Jun16)	Quarterly targets only	↑	2987 (Apr-Jun15)	Q3 (Apr-Sep16)	Not available	Not available	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
292 (2014/15)	474.1 (2015/16)	The number of people in receipt of Telecare per 100,000 (BCF)	506.4 (At 30 Sep16)		454	↑	335.6 (At 30 Sep 15)	TBC	Not available	Not available	Not available
929,391 (2015/16)	233,130 (Jul-Sep15)	Number of residential/nursing care beds for people ages 65 and over commissioned by Durham County Council	234,603 (Apr-Sep16)		Tracker	↑	233,130 (Jul-Sep15)	Q3	Not available	Not available	Not available
Not available	Not available	Antimicrobial resistance (AMR) Improving antibiotics prescribing in primary care (QPI) DDES a) reduction in the number of antibiotics prescribed in primary care	1.322 (Aug15-Jul16)		less than 1.374	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Antimicrobial resistance (AMR) Improving antibiotics prescribing in primary care (QPI) DDES b) reduction in the proportion of broad spectrum antibiotics prescribed in primary care	5.9 (Aug15-Jul16)		less than 10	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Antimicrobial resistance (AMR) Improving antibiotics prescribing in primary care (QPI) ND a) reduction in the number of antibiotics prescribed in primary care	1,218 (Aug15-Jul16)		less than 1.221	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Antimicrobial resistance (AMR) Improving antibiotics prescribing in primary care (QPI) ND b) reduction in the proportion of broad spectrum antibiotics prescribed in primary care	6.6 (Aug15-Jul16)		less than 10	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Increase in the proportion of GP referrals made by e-referrals (QPI) DDES	74.8% (Jul16)		20% increase on Mar16 outturn@ Mar17 or 80% @ Mar17	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Increase in the proportion of GP referrals made by e-referrals (QPI) ND	85.7% (Jul16)		20% increase on Mar16 outturn@ Mar17 or 80% @ Mar17	N/A	N/A	Monthly	Not available	Not available	Not available
Not available	Not available	Overall experience of making a GP appointment (QPI) DDES	89.7% (Q4 14/15&Q215/16)		85% or 3 percentage points increase in July 2017	N/A	N/A	Q2 2017/18	Not available	Not available	Not available
Not available	Not available	Overall experience of making a GP appointment (QPI) ND	89% (Q4 14/15&Q215/16)		85% or 3 percentage points increase in July 2017	N/A	N/A	Q2 2017/18	Not available	Not available	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
Strategic Objective 4: Improve mental health and wellbeing of the population											
20% (Jul-Sep15)	16.8% (Oct-Dec15)	Gap between the employment rate for those with a long term health condition and the overall employment rate	18.5% (Jan-Mar16)		Tracker	↑	16.5% (Jan-Mar15)	Q3 (Apr-Jun16)	13.3% (Jan-Mar16)	13.7% (Jan-Mar16)	Not available
Not available	0.379 (Jul13-Mar14)	Health related quality of life for people with a long term mental health condition - (QPI) DDES	0.463 (Jul14-Mar15)		Reduction in gap with QoL of any LTC	↑	0.379 (Jul13-Mar14)	Q2 2016/17 (Jul15-Mar16)	0.528 (Jul15-Mar16)	Not available	Not reported
Not available	0.492 (Jul13-Mar14)	Health related quality of life for people with a long term mental health condition - (QPI) ND	0.508 (Jul14-Mar15)		Reduction in gap with QoL of any LTC	↑	0.492 (Jul13-Mar14)	Q2 2016/17 (Jul15-Mar16)	0.528 (Jul15-Mar16)	Not available	Not reported
15 (2011-13) [204]	14.8 (2012-14) [202]	Suicide rate (deaths from suicide and injury of undetermined intent) per 100,000 population [number of suicides]	15.7 (2013-15) [215]		Tracker	↑	14.8 (2012-14) [202]	Q4 (2013-15)	10.1 (2013-15)	12.4 (2013-15)	Not reported
269.5 (2012/13)	288.5 (2013/14)	Hospital admissions as a result of self-harm. (Age-sex standardised rate of emergency hospital admissions for intentional self-harm per 100,000 population)	239.1 (2014/15)		Tracker	↓	288.5 (2013/14)	Q4 (2015/16)	191.4 (2014/15)	240.2 (2014/15)	Not available
427.8 (2011/12)	413.2 (2012/13)	Excess under 75 mortality rate in adults with serious mental illness per 100,000 population	485.4 (2013/14)		Tracker	↑	413.2 (2012/13)	Q3 (2014/15)	351.8 (2013/14)	Not reported	Not reported
51% (2013/14 National Survey)	48.7% (2014/15)	Percentage of people who use adult social care services who have as much social contact as they want with people they like	49.2% (2015/16)		Tracker	↑	48.7% (2014/15)	Q4 (2016/17)	45.4% (2015/16)	49.9% (2015/16)	Not available
55.2 (2012/13)	66 (2013/14)	Estimated diagnosis rate for people with dementia - DDES CCG	75.6 (2014/15)		Tracker	↑	66 (2013/14)	Q4 (2015/16)	61.4 (2014/15)	Not reported	Not reported
52.6 (2012/13)	57.4 (2013/14)	Estimated diagnosis rate for people with dementia - North Durham CCG	67.3 (2014/15)		Tracker	↑	57.4 (2013/14)	Q4 (2015/16)	61.4 (2014/15)	Not reported	Not reported
Not available	11.7% (2015/16)	Improving Access to Psychological Therapies (IAPT) Services: People entering IAPT services as a % of those estimated to have anxiety/depression (QPI) ND	11.7% (Apr-Aug16)		15%	↔	11.7% (2015/16)	Monthly	Not available	Not available	Not available
Not available	12.1% (2015/16)	Improving Access to Psychological Therapies (IAPT) Services: People entering IAPT services as a % of those estimated to have anxiety/depression (QPI) DDES	11.9% (Apr-Aug16)		15%	↓	12.1% (2015/16)	Monthly	Not available	Not available	Not available

Previous Final Data		Indicator	Latest Data	Period Target	2016/17 Target	Direction of Travel - same period previous year	Data same period previous year	Next Data Refresh	National	North East	Similar Councils
Strategic Objective 5: Protect vulnerable people from harm											
14.8% (2014/15)	13.4% (2015/16)	Percentage of repeat incidents of domestic violence (referrals to MARAC)	16.3% (Apr-Sep16)		Less than 25%	↑	14.9% (Apr-Sep15)	TBC	25% (Jul14-Jun15)	29% (Jul14-Jun15)	Not available
90.5% (2014/15)	90.5% (2015/16)	The proportion of people who use services who say that those services have made them feel safe and secure	92.5% (Apr-Aug16)		Tracker	↓	94.4% (Apr-Aug 15)	Q3 (Apr-Nov 16)	85.4% (2015/16)	88.9% (2015/16)	Not available
497 (2014-15)	665 (2015-16)	Number of children's assessments where risk factor of parental mental health is identified	337 (Apr-Sep16)		Tracker	↓	390	Q3 (Apr-Dec16)	Not available	Not available	Not available
695 (2014-15)	1,205 (2015-16)	Number of children's assessments where risk factor of parental domestic violence is identified	499 (Apr-Sep16)		Tracker	↓	659	Q3 (Apr-Dec16)	Not available	Not available	Not available
383 (2014-15)	491 (2015-16)	Number of children's assessments where risk factor of parental alcohol misuse is identified	204 (Apr-Sep16)		Tracker	↓	267	Q3 (Apr-Dec16)	Not available	Not available	Not available
296 (2014-15)	420 (2015-16)	Number of children's assessments where risk factor of parental drug misuse is identified	168 (Apr-Sep16)		Tracker	↓	278	Q3 (Apr-Dec16)	Not available	Not available	Not available
37.6 (at 31 Mar 15)	35.1 [Prov] (as at 31-Mar-16)	Number of children with a Child Protection Plan per 10,000 population	40.7 (30-Sep-16)		Tracker	↑	33.9 (30-Sep-15)	Q3 (at Dec-16)	42.9 (as at 31 Mar 2015)	59.5 (as at 31 Mar 2015)	61.7 (as at 31 Mar 2015)
Not available	77.2% (Apr-Jun16)	Percentage of individuals who achieved their desired outcomes from the adult safeguarding process	75.6% (Apr-Sep16)		Tracker	N/A	N/A	Q3	Not available	Not available	Not available
Strategic Objective 6: Support people to die in the place of their choice with the care and support that they need											
45.4% (2013/14)	45.6% (2014/15)	Proportion of deaths in usual place of residence (DDES CCG)	46.7% (2015/16)		Tracker	↑	N/A	Q3 (Jul 15-Jun16)	45.8% (2015/16)	46.1% (2015/16)	Not available
46.6% (2013/14)	49.2% (2014/15)	Proportion of deaths in usual place of residence (North Durham CCG)	48.8% (2015/16)		Tracker	↓	N/A	Q3 (Jul 15-Jun16)	45.8% (2015/16)	46.1% (2015/16)	Not available